

TOWELRADS ETON



Crafted from high quality aluminium, this stylish Eton towel rail offers the ideal update for standard steel towel rails in your home. Offering all the aesthetics of a stainless-steel radiator, but with the added benefit of being lightweight, recyclable and providing heat 3-4 times quicker than stainless steel alternatives.

Max working pressure: 10bar
Normal household pressure is well under 5 bar.



Manufacturers
Warranty



Works with both central heating
and electric fuel sources



Available in Anthracite
and Brushed Aluminium

FEATURES AND BENEFITS

- Manufactured in aluminium to give a fast response and excellent heat output.
- Available in stylish Brushed Aluminium finish or contemporary Anthracite textured finish.
- Suitable for any central heating system.
- Lightweight and resistant to corrosion.
- Oval shaped bars for added style.

ETON ANTHRACITE

| Height (mm) | Length (mm) | Pipe Centres (mm) | Product Code | Output at $\Delta T50k$ | |
|-------------|-------------|-------------------|--------------|-------------------------|------|
| | | | | Watts | BTU |
| 800 | 300 | 270 | 136060 | 205 | 699 |
| | 500 | 470 | 136066 | 342 | 1166 |
| 1000 | 300 | 270 | 136061 | 273 | 931 |
| | 500 | 470 | 136067 | 456 | 1555 |
| 1200 | 300 | 270 | 136062 | 324 | 1105 |
| | 500 | 470 | 136068 | 542 | 1851 |
| 1400 | 300 | 270 | 136063 | 376 | 1282 |
| | 500 | 470 | 136069 | 627 | 2139 |
| 1600 | 300 | 270 | 136064 | 461 | 1572 |
| 1800 | 300 | 270 | 136065 | 496 | 1692 |
| | 500 | 470 | 136081 | 822 | 2805 |


ETON BRUSHED ALUMINIUM

| Height (mm) | Length (mm) | Pipe Centres (mm) | Product Code | Output at $\Delta T50k$ | |
|-------------|-------------|-------------------|--------------|-------------------------|------|
| | | | | Watts | BTU |
| 800 | 300 | 270 | 136060 | 205 | 699 |
| | 500 | 470 | 136066 | 342 | 1166 |
| 1000 | 300 | 270 | 136061 | 273 | 931 |
| | 500 | 470 | 136067 | 456 | 1555 |
| 1200 | 300 | 270 | 136062 | 324 | 1105 |
| | 500 | 470 | 136068 | 542 | 1851 |
| 1400 | 300 | 270 | 136063 | 376 | 1282 |
| | 500 | 470 | 136069 | 627 | 2139 |
| 1600 | 300 | 270 | 136064 | 461 | 1572 |
| 1800 | 300 | 270 | 136065 | 496 | 1692 |
| | 500 | 470 | 136081 | 822 | 2805 |


TECHNICAL DIAGRAMS

ETON COLLECTION


800x300MM
CONFIGURATION




800x500MM
CONFIGURATION



1000x300MM
CONFIGURATION




1000x500MM
CONFIGURATION




TECHNICAL DIAGRAMS

ETON COLLECTION


1200x300MM
CONFIGURATION




1200x500MM
CONFIGURATION



1400x300MM
CONFIGURATION




1400x500MM
CONFIGURATION




TECHNICAL DIAGRAMS

ETON COLLECTION


1600x300MM
CONFIGURATION



1800x300MM
CONFIGURATION





1800x500MM
CONFIGURATION





TECHNICAL DIAGRAMS

ETON COLLECTION






1400x400MM
CONFIGURATION



1400x500MM
CONFIGURATION




1400x600MM
CONFIGURATION




TECHNICAL DIAGRAMS

ETON COLLECTION





1600x400MM
CONFIGURATION



1600x500MM
CONFIGURATION





1600x600MM
CONFIGURATION





TECHNICAL DIAGRAMS

ETON COLLECTION

1800x400MM
CONFIGURATION



1800x500MM
CONFIGURATION



1800x600MM
CONFIGURATION

